



Stay Protected Prioritize Personal Safety

SAFETY PRODUCTS CATALOG

PROTECTIVE INDUSTRIAL PRODUCTS
www.highviz-china.com

Use the QR code

SCAN TO DISCOVER OUR
COMPREHENSIVE PPE SOLUTIONS
FOR ALL YOUR SAFETY NEEDS



Looking ahead, we remain steadfast in our mission to enhance safety standards and promote a safer world.

ZHEJIANG HIGHVIZ SAFETY SUPPLIES CO.,LTD located in Jinhua, Zhejiang, near the bustling Yiwu Market, play a major role in the global industrial safety and personal safety industries. Situated within a short 2-hour trip from Shanghai and Ningbo, our strategic location allows us to efficiently serve domestic and international markets.

With years of experience and relentless innovation, HIGHVIZ mainly include Reflective Materials, High visibility clothing, Personal Safety Equipment, Photoluminescent Materials..

Our products are certified by accredited, independent third-party laboratories to ensure that our products meet the specified performance criteria imposed by the international standards: Oeko-Tex 100, EN ISO 20471, ANSI/ISEA 107, EN 469, NFPA 2112, NFPA 1971, NFPA 701, ASTM F 1506, CSA-Z96, AS/NZS 1906, ISO9001 & ISO14001, DIN 67510-part 1 certificates.

Our extensive range of Reflective Safety Products includes a variety of innovative solutions. Among our offerings are Reflective Fabric, Reflective Tape, Fire Retardant Reflective Fabric, Reflective Transfer Film, High Gloss PVC Reflective Tape, Reflective Safety Vests, Reflective Safety Jackets, and a wide array of other reflective applications. These products find widespread usage in personal safety applications, offering enhanced visibility and protection to individuals working in hazardous environments or engaging in outdoor activities.

Recognizing the surging market demand for safety equipment and outdoor activity gear, HIGHVIZ took a proactive step in 2015 by integrating advanced market resources. This strategic move allowed us to establish a comprehensive ONE-STOP-SHOP network, catering to the needs of various industries including industrial safety, road safety, personal safety, and outdoor sports products. Includes head protection, eyes protection, hand protection, foot protection, body protection, and fall protection. This network provides a seamless platform for customers to access a diverse range of high-quality safety products, ensuring convenience and efficiency in meeting their requirements.

As a testament to our unwavering commitment to quality and customer satisfaction, HIGHVIZ has successfully exported our safety products to more than 50 countries worldwide. Our extensive global reach is a result of our dedication to delivering reliable and innovative safety solutions to customers across different regions and industries. We strive to continually improve our product quality, leveraging advanced market resources, and striving to create maximum value in the global safety and outdoor sports markets.

By continually refining our product offerings, integrating the latest advancements in technology, and working closely with our valued customers, we are well-positioned to meet the evolving needs of the personal safety and industrial safety sectors.

Through our continuous efforts, we aim to establish HIGHVIZ as a trusted partner and a symbol of excellence in the global safety industry, providing superior products that protect and save lives, and enabling people to work and enjoy outdoor activities with peace of mind.

What kind of customers are Highviz good at serving?

- > **Customers are typically large businesses that prioritize stable quality in their purchases. They value consistency and reliability in their suppliers, and our company is able to meet their needs with our high-quality products and strict quality control measures, ensuring stability and reliability in every transaction.**
- > **Customers are usually small businesses or individuals who are looking for a smaller minimum order quantity. They may not need to purchase large quantities of products, but still require high-quality items and reliable service. Our company is able to accommodate their needs with our flexible ordering options and commitment to quality.**
- > **Customers are those who require a wide variety of products, but in smaller quantities, we offer a one-stop solution for all their needs. Our comprehensive range of products and flexible payment options makes it easy for them to purchase everything they need without compromising on quantity or quality**
- > **Customers are those who require financial support to make purchases. We also understand the importance of building long-term relationships with our clients. Our flexible and liberal payment methods allow us to support reputable customers who may need financial assistance. We believe that by nurturing these relationships, we can create a win-win situation both for clients and Highviz.**



HEAD PROTECTION



INDUSTRIAL, CONSTRUCTION & UTILITIES

Plastic Safety Helmet/V-Shaped Safety Helmet/Miner's Safety Helmet


ALL-AROUND PROTECTION

Safety Helmet

NT-W2

- Strong ABS Plastic Out Shell
- 6-Point Suspension System
- ANSI/ISEA Z89.1-2009
- Type I Class E,G & C

POPULAR COLORS



SCRATCHES RESISTANT VISOR:
ABSORB 99.9% UV RAYS



LIGHTWEIGHT EARMUFF: NOISE
REDUCTION & EAR PROTECTION



MESH FACE SHIELD: PROTECT AGAINST
FLYING BRANCHES & WOOD CHIPS


ALL-AROUND PROTECTION

Safety Helmet

NT-W1

- Strong ABS Plastic Out Shell
- 6-Point Suspension System
- ANSI/ISEA Z89.1-2009
- Type I Class E, G & C

POPULAR COLORS



SCRATCHES RESISTANT VISOR:
ABSORB 99.9% UV RAYS



LIGHTWEIGHT EARMUFF: NOISE
REDUCTION & EAR PROTECTION



MESH FACE SHIELD: PROTECT AGAINST
FLYING BRANCHES & WOOD CHIPS



EXTRA COVERAGE

Safety Helmet

NT-P1

- High Density Polyethylene (HDPE)
- Rolled brim and earmuffslots
- ANSI Z89.1:2003
- TYPE I Class G&C

Full Brim Hard Hat

NW-H1

- High Density Polyethylene (HDPE)
- 4-point ratcheting suspension
- ANSI/ISEA Z89.1-2009
- Type I Class E,G& C




▲ NT-P1



▲ NW-H1

POPULAR COLORS



SLEEK DESIGN

Safety Helmet

NT-N1

- ABS
- 5 air hole at the top ends
- ANSI/ISEAZ89.1-2014
- Type I Class E,G& C

Safety Helmet

GW-W1

- PC/ABS
- Protective impact foam
- ANSI Z89.1
- TYPE I Class C120




▲ NT-N1



▲ GW-W1

POPULAR COLORS



STYLE	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	AVAILABLE COLORS
NT-N1	Class E,G& C	I	✓	✓	ABS	4-point	WHITE, YELLOW,GRAY
NW-H1	Class E,G& C	I	✓	✓	HDPE	4-point	BLACK,RED,ORANGE
GW-W1	Class C	I	✓	✓	PC/ABS	4-point	ROYAL BLUE,GREEN
NT-P1	Class G & C	I	✓	✓	HDPE	4-point	HI-VIS ORANGE/YELLOW

SECTION:

Eye and Face Protection

HIGHVIZ ADVANCED LENS TECHNOLOGIES IN SAFETY EYEWEAR

This section contains important PPE related to eye and face protection. These products are designed to help shield your eyes and face from impact, debris, dust, splashes and other potential hazards that could present severe injury to the eyes and face. HIGHVIZ provides a comprehensive line of solutions for safety eyewear needs.

STANDARDS

ANSI/ISEA Z87.1 AND CSA Z94.3

- > Prescribes the design, performance specifications and marking of eye and face safety products
- > Testing Includes:
 - Basic and high impact for lenses and frames
 - UV light transmittance
 - Resistance to flammables and corrosion
 - Optical quality

PRODUCTS

Full Rim – Popular styling for outdoor construction work

Semi-Rimless – Wraparound styling with improved peripheral vision and all-day comfort

Rimless – Lightweight designs with unobstructed peripheral vision and ergonomic fit

Foam Lined - Sealed to keep out dust and airborne particles

Over-the-Glass – Designed to fit over prescription eyewear

Goggles – Help provide protection from projectiles, impact and liquid splash



IMPACT



DUST



CHEMICAL SPLASH



UV LIGHT AND
BRIGHT GLARE



HEAT AND SPARKS



PARTICULATES



ENHANCED FEATURES



HMB10S

Meets ANSI Z87.1+ Standards

- Lens:Clear
- Flame:Black
- Extendable Temples
- Extendable, Ratcheting Temples
- Integrated Side Shields
- Nylon Frame with Brow Guard
- Scratch Resistant Polycarbonate Lens



HMB20S

Meets ANSI Z87.1+ Standards

- Lens:Grey
- Flame:Black
- Extendable Temples
- Extendable, Ratcheting Temples
- Integrated Side Shields
- Nylon Frame with Brow Guard
- Scratch Resistant Polycarbonate Lens



HC10S

Meets ANSI Z87.1+ Standards

- Wrap-Around Style with Brow Guard
- Integrated/Vented Side Shields
- Designed to fit over prescription glasses
- Uncoated or Coated (Scratch Resistant)
- Jumbo Sizes Available
- Provides 99.9% UV Protection



HC20S

Meets ANSI Z87.1+ Standards

- Wrap-Around Style with Brow Guard
- Integrated/Vented Side Shields
- Designed to fit over prescription glasses
- Uncoated or Coated (Scratch Resistant)
- Jumbo Sizes Available
- Provides 99.9% UV Protection



HHB20S

Meets ANSI Z87.1+ Standards

- Dual, Gray, Wrap-Around Lens
- Black Frame
- Spatula temple design
- Integrated nose piece
- Scratch-resistant polycarbonate lens
- Provide 99.9% UV protection



HHB30S

Meets ANSI Z87.1+ Standards

- Dual, Amber, Wrap-Around Lens
- Amber, Frosted Frame
- Spatula temple design
- Integrated nose piece
- Scratch-resistant polycarbonate lens
- Provide 99.9% UV protection



INNOVATIVE DESIGN



HPG06

- Meets ANSI Z87.1+Standards**
- Amber , Wrap-Around Lens
 - PC+PA Lens
 - width=147mm,weight=24.7g, thickness=1.9mm
 - Anti-fog&Anti-scratch
 - Provide 99.9% Uv protection



HPG07

- Meets ANSI Z87.1+Standards**
- Amber or Black, Wrap-Around Lens
 - PC+PA Lens
 - width=147mm,weight=24.7g, thickness=1.9mm
 - Anti-fog&Anti-scratch
 - Provide 99.9% Uv protection



HPG11

- Meets ANSI Z87.1+ Standards**
- Grey or Amber, Wrap-Around Lens
 - PC Frame, PC Lens
 - Width-140mm,weight=16.8g, thickness-2mm
 - Anti-fog&Anti-scratch
 - Provide 99.9% UV protection



HPG12

- Meets ANSI Z87.1+ Standards**
- Grey or Amber, Wrap-Around Lens
 - PC Frame, pC Lens
 - Width-140mm,weight=16.8g, thickness-2mm
 - Anti-fog&Anti-scratch
 - Provide 99.9% UV protection



HD10

- Meet ANSI Z87.1+Standards**
- Clear PVC Frame
 - Elastic Straps
 - Perforated Ventilation
 - ANSI D3 & D4 Rated
 - Scratch-resistant polycarbonate lens
 - Soft and flexible compact frame
 - An elastic strap and indirect ventilation
 - Provide 99.9% UV protection



HD20

- Meet ANSI Z87.1+Standards**
- Clear PVC Frame
 - Elastic Straps
 - Indirect Ventilation
 - ANSI D3 & D5 Rated
 - Scratch-resistant polycarbonate lens
 - Soft and flexible compact frame
 - An elastic strap and indirect ventilation
 - Provide 99.9% UV protection



HIGHVIZ

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT



EAR PROTECTION



EFFECTIVE NOISE REDUCTION
COMFORTABLE FIT ALL DAY LONG

Noise Protection Earplugs/Ear Muffs



HPRD01

- Metal-Detectable, TPR Earplugs
- Blue, 4 Flange-Shaped
- Blue, Metal-Detectable PVC Cord



HPFC01

- Corded Orange Foam Polyurethane (PU)
- Noise Reduction Rating: 33 Decibels



HPRU01

- Hi-Vis Lime, TPR Earplugs
- 4 Flange-Shaped



HPFU01

- Orange Foam Polyurethane (PU)
- Noise Reduction Rating: 33 Decibels



HP4102

- Banded round shape earplugs
- Noise Reduction Rating: 29 Decibels



HP4101

- Banded bell shape earplugs
- Noise Reduction Rating: 30 Decibels



HCPE01

- Noise Cancelling Headphones for Kids
- ABS & steel construction
- Rated 21dB NRR (ANSI S3.19-1974), 27dB SNR (CE EN352-1), age 3-16, and it's toxin-free



HPPE01

- 360 swivel earmuff cup
- NRR:26dB /SNR:33dB noise reduction ability
- Adjustable headband fits for all head sizes
- PU leather ear cushion padded with soft foam



HAND PROTECTION

GOOD DURABILITY, GOOD GRIP FOR
HIGH DEXTERITY HANDLING

Anti-Cut Gloves/Welding Gloves/Dipping Gloves/Canvas Gloves

ANSI
A5**7001-01**

- Salt & Pepper, HPPE/Glass Fiber Shell
- Black, Foam Nitrile Palm Coating

ANSI
A5**7001-02**

- Premium, Full-Nitrile Palm Coated
- Smooth Finish
- Jersey Lining & Safety Cuff

ANSI
A5**7001-03**

- Salt & Pepper, HPPE/Glass Fiber Shell
- Full, Smooth Nitrile Coating

ANSI
A4**7003-01**

- Gray 13-gauge Engineered Fiber Shell
- Gray, PU Palm Coating

ANSI
A4**7003-02**

- Gray 13-gauge Engineered Fiber Shell
- Black, Nitrile Palm Coating

ANSI
A1**7003-03**

- Black 13-gauge Engineered Fiber Shell
- Black, Natural Rubber Latex Palm Coating

ANSI
A5**7005-01**

- Hi-Vis Yellow HPPE/Glass/Steel Shell
- Red, Sandy Nitrile Palm Coating

ANSI
A5**7005-02**

- Orange, HPPE/Glass/Steel shell
- Black, Foam, Nitrile Palm Coating

ANSI
A4**7005-03**

- White, HPPE Shell
- Gray, PU Palm Coating

**7007-01**

- Aramid/Cotton shell
- Split-Cowhide Leather Palm
- Sewn with Aramid/cotton Thread

**7009-01**

- Gray, Premium, Spun Polyester Shell
- Blue, Crinkle-Finish, Latex Palm Coating

**7100-01**

- White 10-gauge cotton/polyester Shell
- Black PVC dotted



HIGHVIZ

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT




HAND PROTECTION



GOOD DURABILITY, GOOD GRIP FOR HIGH DEXTERITY HANDLING

Anti-Cut Gloves/Welding Gloves/Dipping Gloves/Canvas Gloves



7101-01

Premium, Nitrile Palm Coated
- Smooth Finish
- Jersey Lining & Knit Wrist



7101-02

Premium, Full-Nitrile Palm Coated
- Smooth Finish
- Jersey Lining & Safety Cuff



7102-01

Nap-In Poly/Cotton Canvas
- Quilted, Double Palm
- Red Knit Wrist



7102-02

Nap-In Poly/Corded Canvas
- Quilted, Double Palm
- Red Knit Wrist



7103-01

Cotton Padded
- Hi-Vis Orange Back
- Lime Reflective Tap
- Gunn Cut & Rubberized Safety Cuff



7103-02

- Unlined
- Hi-Vis Orange Mesh Back
- Lime Reflective Tape



7105-01

- Russet Leather
- Yellow Canvas
- Gunn Cut & Rubberized Safety Cuff



7105-02

- Blue/Red Striped Fabric
- Gunn Cut & Rubberized Safety Cuff



7105-03

Green/Pink Striped Fabric
- Gunn Cut
- Rubberized Safety Cuff



7106-01

Reinforced Palms with Wing Thumb excellent dexterity
- Aramid Sewn with Fully Weltded Seams
Full Sock Lining with Foam



7106-02

Wing Thumb
- Fully Weltded Seams
- Full Sock Linings



7106-03

Wing Thumb
- Fully Weltded Seams
- Full Sock Lining



HIVIS JACKETS & RAINCOATS

Highly Visible/Bright Neon Yellow Or Orange Color/Comfortable Fit/ANSI/ISEA Compliant



RJ011

Sweatshirt Jacket

- Orange or Lime
- 300g Polyester Fleece Fabric
- 2" Reflective Tape & Mic Tabs
- Black Knit Wrists & Pouch Pockets
- Side Chest Pocket with Zipper



RJ010

Bomber Jacket

- Orange or Lime PU-Coated 300-Denier Polyester Shell
- Zip-Out Fleece Lining
- Concealed, Detachable Hood
- 2" Reflective Tape & Mic Tabs
- 7 Pockets: Chest, Cell Phone, Inside/Outside



RW001

Lime Raincoat PU-Coated 300-Denier Polyester Shell

- Polyester mesh Lining
- Concealed Hood
- 1.5" Reflective Tape
- 2 Pockets



RW002

Lime Raincoat PU-Coated 300-Denier Polyester Shell

- Polyester mesh Lining
- Concealed Hood
- 2" Reflective Tape
- Black Front Panels
- 2 Pockets



HIGHVIZ

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT



HI-VIS SAFETY VESTS & CLOTHES



ANSI CERTIFIED, CAN VISIBLE SAFETY ANYTIME AND ANYWHERE

Highly Visible/Bright Neon Yellow Or Orange Color/Comfortable Fit/ANSI/ISEA Compliant



C2511

- FR Safety Vest**
- Lime Modacrylic Mesh
 - Heat Applied Reflective Tape
 - Hook & Loop or Zipper Closure
 - D-Ring Access
 - 3 Pockets: 1 Inside Lower, 1 Outside Chest, 1 Outside Lower



C2512

- FR Safety Vest**
- Lime Modacrylic Mesh
 - Heat Applied Reflective Tape
 - Hook & Loop or Zipper Closure
 - D-Ring Access
 - 3 Pockets: 1 Inside Lower, 1 Outside Chest, 1 Outside Lower



C2502

- Safety Vest**
- Orange or Lime Solid Fabric
 - 2" Silver Sewn Reflective Tape
 - Hook & Loop or Zipper Closure
 - 3 Pockets: 1 Inside Lower, 1 Outside Chest, 1 Outside Lower
 - 3-Division Pen Pocket & Mic Tab



C2513

- Safety Vest**
- Orange or Lime Polyester Mesh Fabric
 - 2" Silver Sewn Reflective Tape
 - Zipper Closure
 - 6 Pockets: 2 Inside Lower, 2 Outside Chest, 2 Outside Lower (Outside Pockets include Hook & Loop Closures)



C2514

- Safety Vest**
- Orange or Lime Solid Fabric & Polyester Mesh Back
 - 2-Tone Contrasting Reflective Tape
 - Zipper Closure
 - Multiple Pockets for Pad/Pen, Radio/Phone & Flashlight
 - Mic Tabs on each Shoulder



C2515

- Safety Vest**
- Orange or Lime Polyester Mesh Fabric
 - 2-Tone Contrasting Reflective Tape
 - Zipper Closure
 - Pockets: 5 Outside, 2 Inside
 - Dual Mic Tabs & Clear Badge Holder



C2510

- Safety Vest**
- Lime Polyester Mesh Fabric
 - 2" Silver Sewn Reflective Tape
 - Hook & Loop Closure
 - X-Pattern on Back
 - Pockets: 1 Chest, 1 Waist



C2509

- Safety Vest**
- Orange or Lime Polyester Mesh Fabric
 - 1" Reflective Gloss Tape
 - Hook & Loop Closure
 - Non-Rated



TS701

- Short Sleeve Shirt**
- Orange or Lime
 - Birdseye Mesh Fabric
 - Moisture Wicking
 - Chest Pocket



TL701

- Long Sleeve Shirt**
- Orange or Lime
 - Birdseye Mesh Fabric
 - Moisture Wicking
 - Chest Pocket



TS702

- Short Sleeve Shirt**
- Orange or Lime
 - Birdseye Mesh Fabric
 - Moisture Wicking
 - 2" Silver Reflective Tape
 - Chest Pocket



TL702

- Long Sleeve Shirt**
- Orange or Lime
 - Birdseye Mesh Fabric
 - Moisture Wicking
 - 2" Silver Reflective Tape
 - Chest Pocket



TS703

- Short Sleeve Shirt**
- Orange or Lime
 - Moisture Wicking Mesh Fabric
 - 2" Silver Reflective Tape
 - Black Front Panels
 - Chest Pocket



TL703

- Long Sleeve Shirt**
- Lime Birdseye Mesh Fabric
 - Moisture Wicking
 - 2" Silver Reflective Tape
 - Black Front Panels
 - Chest Pocket



TS461

- Short Sleeve Shirt**
- Ultralight Orange or Lime
 - Polyester/Spandex Stretch Fabric, Comfort stretch
 - Perforated Panels in High Perspiration Areas
 - Segmented Reflective Tape



TL461

- Long Sleeve Shirt**
- Ultralight Orange or Lime
 - Polyester/Spandex Stretch Fabric, Comfort stretch
 - Perforated panels in High perspiration Areas
 - Segmented Reflective Tape



TS471

- Short Sleeve Shirt**
- Ultralight Orange or Lime
 - Polyester/Spandex Stretch Fabric, Comfort stretch
 - Gray V-Neck & Side Panels
 - Segmented Reflective Tape



TL471

- Long Sleeve Shirt**
- Ultralight Orange or Lime
 - Polyester/Spandex Stretch Fabric, Comfort stretch
 - Gray V-Neck & Side Panels
 - Segmented Reflective Tape



HIGHVIZ

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT



HV-2792

**ENHANCED DURABILITY,
PROTECTION AND COMFORT**

MEN'S WIDENED CLADDING HEAD GOODYEAR SOFT TOE BOOT

HV-2792

- Classic welt construction combined with iconic flat sole provides superb stability
- No heel and soft sole for sure footing
- Shallow lug pattern doesn't pick up mud
- With its Goodyear welt construction
- Iconic flat-bottomed soles, hollow lugs
- Ideal for heavy-duty work
- Ideal for ironworkers, carpenters and other high environment trades where you need to be solidly on your feet



PROTECTION



ANTI-SMASH



POROSITY



ANTI-PUNCTURE



CONSTRUCT

**INCREASED SUPPORT
AND COMFORT**

FOOT PROTECTION

**Industrial & Mining boots/
Acid & Alkali-resistant boots/
safety shoes/Anti-Smash &
Anti-puncture shoes**



HV-7928

- Upper Material:Leather
- Sole Material:Rubber
 - Process: Cold bonding
 - Function:Anti-Smash& Anti-puncture
 - Size:39-44



HV-0424

- Upper Material:Leather
- Sole Material:Rubber
 - Process: Cold bonding
 - Function:Anti-Smash& Anti-puncture
 - Size:39-44



HV-2792

- Upper Material:Crazy-horse leather
- Sole Material:PU
 - Process:PU injection
 - Function:Anti-Smash& Anti-puncture
 - Size:39-44



HV-2009

- Upper Material:First layer NUBACK
- Sole Material:TPU
 - Process:PU injection
 - Function:Anti-Smash& Anti-puncture
 - Size:39-44



HV-N001

- Upper Material:Full-grain leather
- Sole Material:TPU
 - Process:PU injection
 - Function:Anti-Smash& Anti-puncture
 - Size:39-44



HV-5656

- Upper Material:Crazy-horse leather
- Sole Material:PU
 - Process:PU injection
 - Function:Anti-Smash& Anti-puncture
 - Size:39-44



HV-8223

- Uppers:PVC+Specialized materials
- Out sole:PVC+Nitrile
 - Quarter height(AVG.):300mm,330mm, 390mm
 - Function:Anti-Smash& Anti-puncture
 - Size:EUR 37#-47# USA 3#-13#



HV-8218

- Uppers:PVC+Specialized materials
- Out sole:PVC+Nitrile
 - Quarter height(AVG.):300mm,330mm, 390mm
 - Function:Anti-Smash& Anti-puncture
 - Size:EUR 37#-47# USA 3#-13#



HIGHVIZ

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT




FALL PROTECTION



PERFECT FOR WORKERS AS ROOFING/
ARBORIST/HIGH-RISE PAINTING

Anchorage Connectors/Carabiners/Harnesses/Lanyards



Construction & Industrial **1831007**

Universal size

Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable fall arrest working condition
- Five adjustment positions on shoulder straps, chest strap and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 1450g



Construction & Industrial **1831007E**

Universal size

Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable fall arrest working condition
- Three adjustment positions on shoulder straps, chest strap and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 1100g



Construction & Industrial **1831007E-FD**

Universal size

Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable fall arrest working condition
- High strength webbing more than 27KN(6000lbs)
- Three adjustment positions on shoulder straps, chest strap and leg straps for superior fit.
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 1150g



Construction & Industrial **1831010**

Universal size

Meets ANSI Z359.11-2014


- Leg straps are in different color for easy wear
- Four adjustment positions on belt and legs for superior fit
- High strength webbing more than 27KN(6000lbs)
- Dorsal & Front special design D ring for reduce the danger after fall
- Waist D ring for better work position
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 1350g



FALL PROTECTION



PERFECT FOR WORKERS AS ROOFING/
ARBORIST/HIGH-RISE PAINTING



Anchorage Connectors/Carabiners/Harnesses/Lanyards



Construction & Industrial 1831007WG

Universal size
Meets ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One attachment points to match any foreseeable fall arrest working condition.
- Six adjustment positions on shoulder straps, chest strap, waist belt and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Light weight, moisture wicking and breathable waist padding always keeping the wearer comfortable
- Shoulder and Leg pads help minimize pressure for users
- Grommet adjustment on waist belt & leg straps
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 2250g



Construction & Industrial 1831007WQ

Universal size
Meets ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One attachment points to match any foreseeable fall arrest working condition.
- Six adjustment positions on shoulder straps, chest strap, waist belt and leg straps for superior fit
- Two Waist stamping D ring for better work position
- Two lanyard attachments
- Light weight, moisture wicking and breathable waist padding always keeping the wearer comfortable
- With grommet adjustment on the waist belt
- Features with quick release buckle on the chest strap & leg straps for easy donning
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 2550g



Construction & Industrial 1831007G

Universal size
Certified to ANSI Z359.11-2014

- Leg straps are in different color for easy wear
- One big forging dorsal D ring for better connection and match any foreseeable fall arrest working condition
- Five adjustment positions on shoulder straps, chest strap and leg straps for superior fit
- Two Waist stamping D ring 1859012 for better work position
- Two lanyard attachments
- Grommet adjustment on leg straps
- Custom design webbing end secure to hang on to when adjusting the straps
- Individually inspected
- Customized webbing color available
- Weight: 1700g



1858043

Vertical lifeline with fall arrester
Meets ANSI Z359.15-2014

- 5/8" (16mm) three strand rope
- 3.0 ft fall arrester integral with a shock absorber and a snap hook
- Multiple length available: 25-200ft
- 16KN (3600lbs) gate strength
- Individually inspected
- Customized webbing color available
- Weight: 4900g



HIGHVIZ

ONE STOP OF PERSONAL PROTECTIVE EQUIPMENT



FALL PROTECTION



PERFECT FOR WORKERS AS ROOFING/
ARBORIST/HIGH-RISE PAINTING

Anchorage Connectors/Carabiners/Harnesses/Lanyards

1858034MAD

External energy absorber lanyard
Certified to ANSI Z359.13-2013

- Twin legs
- One snap hook on the ends
- Two scaffolding hooks on both twin legs
- Made of 30mm width webbing
- Total length: 1.8m
- 16kN (3600lbs) gate strength
- Individually inspected
- Customized webbing color available
- Weight: 2750g



1858029MAD

External energy absorber lanyard
Certified to ANSI Z359.13-2013

- Single legs
- One snap hook connect to the energy absorber
- One Scaffolding hook at the other end
- Made of 30mm width webbing
- Total length: 1.8m
- 16kN (3600lbs) gate strength
- Individually inspected
- Customized webbing color available
- Weight: 1700g



1858020M

Internal Energy absorbing lanyard
Meets ANSI Z359.13-2013

- Single leg
- Two snap hooks on both ends
- Total length: 1.8m
- 16kN (3600lbs) gate strength
- Individually inspected
- Customized webbing color available
- Weight: 1600g



1858020Y

Internal Energy absorbing lanyard
Meets ANSI Z359.13-2013

- Twin legs
- Three snap hooks on the ends
- Total length: 1.8m
- 16kN (3600lbs) gate strength
- Individually inspected
- Customized webbing color available
- Weight: 1900g



Snap Hook 1859070

Scaffolding steel Hook

- Stamping steel
- 100% proof loaded to 3600 lbs / 16 kN
- Min. Breaking strength: 5000 lbs / 22 kN
- Open width: 65 mm
- Net weight: 752 g
- Certified to ANSI Z359.12-2009



Snap Hook 1859069

Scaffolding steel Hook

- Forging steel
- 100% proof loaded to 3600 lbs / 16 kN
- Min. Breaking strength: 5000 lbs / 22 kN
- Open width: 20 mm
- Net weight: 380g
- Certified to ANSI Z359.12-2009





Make The World Safer

Stay Protected Prioritize Personal Safety



ZHEJIANG HIGHVIZ SAFETY SUPPLIES CO.,LTD
A3-402B,NO.729 JINDAI STREET,
CHENGBEI INDUSTRIAL ZONE,
WUCHENG DISTRICT,JINHUA,ZHEJIANG,CHINA
Main Phone:86-15258945615
Sales8@highviz-china.com | www.highviz-china.com

