


ZHEJIANG HIGHVIZ SAFETY SUPPLIES CO., LTD

PHOTOLUMINESCENT MATERILAS








PHOTOLUMINESCENT FILM SERIES




Photoluminescent self-adhensive film is a luminescent produced on the basis of long afterglow photoluminescent powder, a componet . It is a photoluminescent film made of soft plastic, backed with adhensive paper. it can be made into all kinds of markers, such as safety markers, warning markers and fire-fighting markers. Also it can be applied onto safety suit, present, toy.etc.

PVC SERIES



ACRYLIC SERIES



PET SERIES








The photolumineScent pigment has two kinds:

one is made by activating alkaline earth aluminate with rare earth elements;another one is traditional sulidebased.Especially alkaline earth aluminate phosphor-based glow in dark pigment,This material is characterized by performances such as light absorption,light storage and light radiation and can glow in darkness for 12 hours continuosly after it has absorbed various visible lights for 10-20 mintues,Its luminance brightness and duration is at least 30 times of traditional luminescent materials represented by ZnS:Cu,and can be used repeatedly.The test result issued by National Institute of Metrology(NIM) demonstrate that he product is nontoxic, radioactive free,and has stable chemical performance.It can be made into various photoluminescent product, and have been widely applied to fire prevention,place -name signs,household electric appliances,clocks and watches,finery,garment,craftworks and gifts,and so on.



HVG SERIES

		B1	Afterglow (mcd/m²)				
	Model	Diameter (D50)um	10min	60min	glow time	color day time	glow color
	HVG-6B	65-85	725	120			
	HVG-6C	45-55	480	85			
	HVG-6D	25-35	380	55	>12 hours	light yellow yellow-gree	
	HVG-6E	5-15	280	39			
	HVG-6F	2-10	240	30			yellow-green
	HVG-4B	65-85	640	105			
	HVG-4C	45-55	450	70			
	HVG-4D	25-35	320	42			
	HVG-4E	5-15	220	29			
	HVG-4F	2-10	190	23			
	HVG-2C	55-75	350	40			
	HVG-2D	15-45	250	32			
	HVG-1C	55-75	260	35			
	HVG-1D	14-40	200	25	10 hours		

PIGMENTS

Madal		Afterglow (mcd/m²)			oolor dou timo	
Model	Diameter (D50)um	10min	60min	glow time	color day time	glow color
HVB-5B	65-85	700	120			
HVB-5C	45-55	480	85			
HVB-5D	25-35	360	58			
HVB-5E	5-15	260	38		light	Fluo azul-verde
HVB-4B	65-85	630	110		light	Fluo azui-verde
HVB-4C	45-55	440	75			
HVB-4D	15-35	320	50	>12 horas		
HVB-4E	5-15	220	30		-	
HVB-3C	55-75	400	55			
HVB-3D	15-45	280	35			
HVB-1C	55-75	260	38	10 horas	Amarillo claro	Fluo azul-verde
HVB-1D	15-40	200	23			

HVB SERIES

Model	Diameter (D50)um	Aft 10min	erglow (m 60min	ncd/m²) glow time	color day time	glow color
HVP-6B	45-75	28	5	3 hours		
HVP-6C	15-45	19	3.5		white	purple

HVP SERIES

Modelo	Diameter (D50)um	A	fterglow	(mcd/m²)	color day time	glow color
WOUEIO		10min	60min	glow time		
HVSB-9B	65-85	260	22	8 horas	white	blue sky
HVSB-9C	45-55	220	18			
HVSB-9D	25-35	180	15			
HVSB-9E	5-15	140	12		White	bide oky
HVSB-8D	15-50	150	13	6 horas		

HVSB SERIES

Model	Diameter	Afterglo	w (mcd/m²)	color day time	glow color		
WOUEI	(D50)um	10min	60min				
MTR-4D	25-35	180	22				
MTG-4D		170	18				
MTY-4D		200	15				
MTO-4D		180	12				
MTB-4D		140	13				

MT SERIES

PHOTOLUMINESCENT RIGID SHEET

PVC RIGID SHEET

Produced by mixing pvc paste resins with high-class long afterglow luminescent pigment. This product possessed well flame resistance and easily printable performance.Cutting method include shearing,stamping,engraving,ect.

Luminescent color : yellow-green, blue-green, sky-blue etc.

Size: 1m X 1.2m, 0.5mX0.6m

METAL-BASED SERIES

Produced by mixing acrylic resins with high-class long afterglow luminescent pigment under coating on the surface of aluminum or stainless steel. This product possess excellent strength and weather resistance.Need to use two-component curing solvent or UV ink for printing. It is recommended to use cutting or stamping for low luminecent sheet and customzied according to actual size for high luminescent sheet which do not need cutting.

Luminescent color : yellow-green Size: 0.6*1m

Luminous evacuation indication signs



120*330mm





120*225mm




120*225mm



150*300mm



150*300mm





120*330mm



120*225mm


120*225mm

120*330mm





120*330mm





120*225mm



110*170mm



150*300mm

Customize is abaliable.

150*300mm



120*225mm



150*300mm



150*300mm



120*225mm

120*225mm



150*300mm



150*300mm



150*300mm



150*300mm



































120*225mm

110*170mm

Luminous evacuation indication signs



50MM*10M

Customize is abaliable.

Luminous firefighting equipment signs





150*150mm



150*150mm



150*150mm



150*150mm



150*150mm









150*150mm






FIRE

BLANKET





150*150mm

Fire Hose Re











150*150mm

150*150mm

150*150mm

150*150mm

150*150mm

Folding 150+20mm*150mm

100+20mm*450mm

125+15mm*450mm

Folding 150+20mm*150mm

Web: www.highviz-china.com Email: sales8@highviz-china.com Contact: Rain +86 15258945615

 \bigcirc

0

